




**LAMBDABOARD**<sup>®</sup>  
THE BETTER THERMAL INSULATION



01

**Pro**

Professional's  
Choice

02

**Ho**

Home Owner's  
Choice

LAMBDABOARD<sup>®</sup>

# SLAB INSULATION

## HOT DECK - UNDER SCREED / STONE BALLAST

LAMBDABOARD<sup>®</sup> is the ideal choice for hot deck insulation in all building categories especially in retrofits. It is manufactured in a continuous process with a closed cell PIR core bonded to 2 flexible substrates.

With the high compressive strength and excellent dimensional stability LAMBDABOARD<sup>®</sup> kraft paper finish can be used in under screed insulation. Thickness will depend on requirement in accordance with SANS 10400 XA & 204. LAMBDABOARD<sup>®</sup> does not lose insulation properties during its lifespan.



# SLAB INSULATION, HOT DECK - UNDER SCREED/STONE BALLAST

## BENEFITS

Using LAMBDABOARD® above a concrete slab will bring the thermal mass of the slab within insulated envelope, giving the building a steady thermal response

**LAMBDABOARD® has a high compressive strength**

Excellent thermal properties

**LAMBDABOARD® has the highest durability rate in its class**

LAMBDABOARD® has proven to reduce energy cost

## INSTALLATION

When installing LAMBDABOARD® boards need to butt jointed tightly and mechanically fixed to slab using nylon anchors or suitable adhesive. In application requiring more than 80 mm a dual layer stagger pack application should be preferred to eliminate thermal bridging.

Because of the excellent thermal performance when using LAMBDABOARD® with its higher R-Values per thickness, you will require thinner insulation to achieve the desired R-Value.

## SPECIFICATION FOR BOQ

LAMBDABOARD® is a laminated polyisocyanurate core board with a minimum core density of 34kg/m<sup>3</sup>, a minimum thickness of \_\_\_\_ mm; faced with \_\_\_\_ and laminated on both sides. Suppliers fixing details supplied in widths of 1220 mm with a \_\_\_\_ (Km<sup>2</sup>/W) R-Value. Finish shall be white mineral and mineral natural laminated on each side.

▶ APPLICATION: SLAB INSULATION UNDER SCREED (ABOVE WATERPROOFING)


LAMBDABOARD® to be fixed on top of waterproofing membrane with a suitable adhesive. Boards to be laid in a single or double layer if insulation is <100 mm and a double layer stagger packed for >100 mm. LAMBDABOARD® to be covered with a screed to fall as per Engineers specification.

▶ APPLICATION: SLAB INSULATION UNDER SCREED (BELOW WATERPROOFING)

LAMBDABOARD® to be fixed on top of concrete deck, using suitable nylon anchors or adhesives. Screed to fall as per engineers details with waterproofing membrane. Boards to be laid in a single or double layer if insulation is <80 mm and a double layer stagger packed for >80 mm.

▶ APPLICATION: SLAB INSULATION STONE BALLAST

LAMBDABOARD® to be fixed on top of waterproofing membrane with a suitable adhesive. Boards to be laid in a single or double layer if insulation is <100 mm and a double layer stagger packed for >100 mm. LAMBDABOARD to be covered with 19 mm crusher stone ballast or suitable sand and paving. As per engineers details.



www.lambdaboard.co.za  
lambdaboard@rigifoam.com  
+27 (0)11 421 0313

Members of:



Proudly produced by:



DISAVOWAL: The customer acknowledges and understands that after delivery, the goods will have left the control of Rigifoam (Pty) Ltd, and that the customer will be responsible for the unpacking of and connection/installation of the goods. The customer acknowledges that it is his/her further responsibility to ensure that a fully qualified and competent person is used to install the goods to ensure their effective operation. Failure by the customer to ensure the installation of the goods, according to the written instructions of the manufacturer and/or supplier, by a fully qualified and competent person, may result in the failure of the goods, injury, loss or damages to the customer. Accordingly, and in this event, Rigifoam (Pty) Ltd accepts no responsibility for any loss or damages that might arise by reason of death or personal injury to any person engaged in the installation or use of the goods thereafter, subject to the provisions of the Consumer Protection Act 68 of 2008.